In the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

- 1. (original) A WLAN (Wireless Local Area Network) device having a smart antenna system, comprising:
 - a plurality of WLAN transceiver modules; and
- a plurality of directional antennas, respectively installed on said WLAN transceiver modules in an one-to-one correspondence, wherein said directional antennas are equally spaced apart in an annular array, and each of said directional antennas is responsible for the communication of a plurality of users in a cell.
- 2. (original) The WLAN device having the smart antenna system according to claim 1, wherein the specification of each of said WLAN transceiver modules is selected from a group consisting of IEEE802.11a, IEEE802.11b, IEEE802.11g and an arbitrary combination thereof.
- 3. (original) The WLAN device having the smart antenna system according to claim 1, wherein said WLAN device is selected from a group consisting of an access point, a gateway, a wireless switch, a wireless hub, a wireless switching hub and a wireless switching router.

- 4. (original) The WLAN device having the smart antenna system according to claim 1, comprising a CPU.
- 5. (original) The WLAN device having the smart antenna system according to claim 4, comprising a plurality of interface elements used for respectively connecting said CPU to said WLAN transceiver modules.
- 6. (original) The WLAN device having the smart antenna system according to claim 5, wherein each of said interface elements is selected from a group consisting of a PCI (Peripheral Component Interface), a mini PCI, PCMCIA (Personal Computer Memory Card International Association) and a Cardbus interface.
 - 7. (original) A WLAN device having a smart antenna system, comprising: a plurality of WLAN transceiver modules; and

a plurality of array antennas, respectively installed on said WLAN transceiver modules in an one-to-one correspondence, wherein each of said array antennas is composed of a plurality of omni-directional antennas, and the radiation patterns of said array antennas are controlled to be directional radiation patterns, and each of said array antennas is responsible for the communication of a plurality of users in two opposite cells.

- 8. (original) The WLAN device having the smart antenna system according to claim 7, wherein said omni-directional antennas are a plurality of dipole antennas.
- 9. (original) The WLAN device having the smart antenna system according to claim 7, wherein the specification of each of said WLAN transceiver modules is selected from a group consisting of IEEE802.11a, IEEE802.11b, IEEE802.11g and an arbitrary combination thereof.
- 10. (original) The WLAN device having the smart antenna system according to claim 7, wherein said WLAN device is selected from a group consisting of an access point, a gateway, a wireless switch, a wireless hub, a wireless switching hub and a wireless switching router.
- 11. (original) The WLAN device having the smart antenna system according to claim 7, comprising a CPU.
- 12. (original) The WLAN device having the smart antenna system according to claim 11, comprising a plurality of interface elements used for respectively connecting said CPU to said WLAN transceiver modules.
- 13. (original) The WLAN device having the smart antenna system according to claim 12, wherein each of said interface elements is selected from a

group consisting of a PCI (Peripheral Component Interface), a mini PCI, PCMCIA (Personal Computer Memory Card International Association) and a Cardbus interface.

14. (original) A smart antenna system, comprising:

a plurality of directional antennas, respectively installed on a plurality of WLAN transceiver modules in an one-to-one correspondence, wherein said directional antennas are equally spaced apart in an annular array, and each of said directional antennas is responsible for the communication of a plurality of users in a cell.

- 15. (currently amended) The WLAN device having the smart antenna system according to claim 14 wherein the specification of each of said WLAN transceiver modules is selected from a group consisting of IEEE802.11a, IEEE802.11b, IEEE802.11g and an arbitrary combination thereof.
- 16. (currently amended) The WLAN device having the smart antenna system according to claim 14, suitable for use in a WLAN device, wherein said WLAN device is selected from a group consisting of an access point, a gateway, a wireless switch, a wireless hub, a wireless switching hub and a wireless switching router.

- 17. (currently amended) The WLAN device having the smart antenna system according to claim 16, wherein said WLAN device comprises a CPU.
- 18. (currently amended) The WLAN device having the smart antenna system according to claim 17, wherein said WLAN device comprises a plurality of interface elements used for respectively connecting said CPU to said WLAN transceiver modules.